

AIIMS PG Solved Paper 1999 (Part 4 of 20)

1. What is the most common cause for Budd Chiari syndrome

- a. Right ventricular failure
- b. PNH
- c. valve in hepatic veins
- d. Nephrotic syndrome

Answer: b

2. Which of the following is not seen in Paroxysmal Nocturnal Hemoglobinuria

- a. Hypocellular bone marrow
- b. Hemosiderinuria
- c. Increased LAP score
- d. Pancytopenia

Answer: c

3. All of the following are seen in polycythemia rubra vera except

- a. Increased Vit B12 binding capacity (>900micromols/dL)
- b. decreased LAP score
- c. Leucocytosis
- d. increased platelets

Answer: b

4. What is the size of the microfilter used in blood transfusion sets

- a. 50micro meters
- b. 150 micro meters
- c. 170 micro meters
- d. 250 micro meters

Answer: c

5. All of the following are part of Manning's criteria except

- a. Fetal respiratory movements
- b. Non stress test
- c. Fetal body movements
- d. Vibroacoustic stimulation

Answer: d

6. A patient with choriocarcinoma, is not responding to the usual doses of methotrexate. She is having jaundice. Which drug will you p

- a. Actinomycin D
- b. Cyclophosphamide
- c. Cisplatin
- d. Chlorambucil

Answer: a

7. Which of the following is the most reliable indicator of Ectopic gestation

- a. No gestational sac in USG
- b. Arias Stella reaction
- c. Culdo centesis showing blood in the posterior cul-de-sac
- d. Absence of the normal doubling of hCG levels

Answer: a

8. A 22 year old lady present with pain in the right iliac fossa. On examination there was tenderness and guarding. Which of the following should not be done in this case

- a. Put patient Nil orally
- b. give IV glucose
- c. Inj. Pethidine IM
- d. Plain X ray abdomen

Answer: c

Visit examrace.com for free study material, doorsteptutor.com for questions with detailed explanations, and "Examrace" YouTube channel for free videos lectures

9. A child presents with history of blunt injury abdomen associated with splenic trauma. On examination the child is stable. Which of the following is the treatment of choice
- Splenorrhaphy
 - Observation
 - Splenectomy
 - Arterial embolisation

Answer: b

10. Which of the following is true about carcinoma colon
- Lesion on the left side of the colon presents with features of anemia
 - Solitary metastasis in liver is not a contraindication for surgery
 - mucinous carcinoma has a good prognosis
 - Duke's A stage should receive adjuvant chemotherapy

Answer: b