

AIPPG Paper 2002 (Part 21 of 25)

1. LMN lesion includes
 - a. Dorsal horn cells
 - b. Sympathetic ganglia
 - c. Peripheral nerve
 - d. Gasserian ganglia
 - e. Anterior horn cells

2. Functions of basal ganglia include
 - a. Gross motor
 - b. Skilled movements
 - c. Emotion
 - d. Maintaining equilibrium
 - e. Co-ordination of movements

3. Central muscle relaxant acts by
 - a. Decreasing nerve conduction
 - b. Inhibits spinal polysynaptic reflexes
 - c. Blocks conduction across nerve muscle junction
 - d. CNS depression
 - e. Decreases muscle excitation

4. Preanesthetic medication is used for which of the following reasons
 - a. It decreases the autonomic reflexes
 - b. It helps in anesthesia
 - c. Reduce anesthetic side effects
 - d. Decrease blood pressure

e. Prevent tachycardia

5. In myasthenia gravis which of the following should not be given

- a. Gallamine
- b. Neostigmine
- c. Aminoglycoside antibiotics
- d. Metronidazole

6. WHO ORS contains

- a. Na + 2.5 gms
- b. K + 1.5 gms
- c. Glucose 20 gm
- d. Sucrose 108 gm %
- e. Potassium bisulphate-90

7. In IV hyperalimentation given is/are

- a. Hypertonic saline
- b. Fats
- c. Amino acids
- d. Dextrose
- e. Low molecular weight dextran

8. Health is associated by

- a. Mental peace
- b. Adequate nutrition
- c. Daily moderate physical activity
- d. Yearly blood and urine examination
- e. Less stress

9. CA-125 is associated with

- a. Carcinoma colon

Visit examrace.com for free study material, doorsteptutor.com for questions with detailed explanations, and "Examrace" YouTube channel for free videos lectures

- b. Ca breast
- c. Ca ovary
- d. Ca lung
- e. Ca pancreas

10. CEA as a tumor marker is useful in carcinoma colon

- a. Levels give an indication of prognosis after surgery
- b. Extent of tumor
- c. Post op fall in CEA reflects complete clearance of tumor
- d. Follow up after surgery for recurrence
- e. High levels reflect metastasis