

Karnataka PG Solved Paper 2004 (Part 16 of 20)

1. Myasthenia gravis may be associated with

- a. Thymoma
- b. Systematic LUPUS erythematosus
- c. Hyperthyroidism
- d. All of the above

Answer: d

2. Example of PRION disease include:

- a. Creutzfeldt Jakob disease
- b. Subacute sclerosing panencephalitis
- c. Alzheimer's disease
- d. None of the above

Answer: a

3. The treatment of Herpes simplex viral encephalitis should include:

- a. Zidovudine
- b. Acyclovir
- c. Didanosine
- d. Symptomatic treatment only

Answer: b

4. The drug found to be beneficial in amyotrophic lateral sclerosis is:

- a. Riluzole
- b. Methylprednisolone
- c. Hydroxyurea
- d. None of the above

Answer: a

5. The drug of choice for a patient with a combination of primary generalized tonic clonic seizures and absence seizures is:

- a. Ethosuximide
- b. Carbamazepine
- c. Valproic acid
- d. Phenytoin sodium

Answer: c

6. Complication of Paget's disease include:

- a. High output cardiac failure
- b. Osteogenic sarcoma
- c. Pathologic fractures
- d. All of the above

Answer: d

7. Causes of Rickets include:

- a. Dietary phosphate deficiency
- b. Distal renal tubular acidosis
- c. Small intestinal disease with malabsorption
- d. All of the above

Answer: d

8. Causes of hypercalcemia include:

- a. Hyperthyroidism
- b. Hypothyroidism
- c. Hypoparathyroidism
- d. None of the above

Answer: a

9. Drugs useful in the treatment of acute gouty arthritis include:

Visit examrace.com for free study material, doorsteptutor.com for questions with detailed explanations, and "Examrace" YouTube channel for free videos lectures

- a. Allopurinol
- b. Colchicine
- c. Probenicid
- d. Sulfinpyrazone

Answer: b

10. Drugs considered safe in patients with acute intermittent porphyria include:

- a. Phenobarbitone
- b. Valproic acid
- c. Carbamazepine
- d. Narcotic analgesics

Answer: d