

Competitive Exams: Pharmacy MCQs (Practice-Test 2 of 29)

1. Carr price reaction is positive in case of ...
 - a. Vit. A
 - b. Vit. B
 - c. Vit. D
 - d. Vit. B7

2. The following variety of cardamom does not show rugae among all the varieties ...
 - a. Allepy cardamom
 - b. Mysore cardamom
 - c. Korarima cardamom
 - d. Malabar cardamom

3. The following microscopical characters are true for fennel except...
 - a. Anomocytic stomata
 - b. Lignified and reticulate parenchyma
 - c. Rossete crystals of ca-oxalate
 - d. Trichomes and starch grains are absent

4. The outgrowth of nutmeg contains amyloextrin which gives following colour with iodine ...
 - a. red colour
 - b. Blue colour
 - c. Pink colour
 - d. white colour

5. The following microscopical characters are false in case of Clove except one... And it is...
 - a. Clove contains diacytic stomata

- b. Clove contains starch
 - c. Scizogenous oil glands
 - d. It contains anomocytic stomata
6. Ca-oxalate crystals and starch grains are absent in ... (p) Fennel (q) Stropanthus (r) Nuxvomica (s) Physostigma
- a. p, q
 - b. p, r
 - c. q, s
 - d. r, s
7. The following variety is the commercial source of reserpine ...
- a. R. Tetraphylla
 - b. R. Vomitoria
 - c. R. Serpentina
 - d. R. Densiflora
8. Vitali-morin reaction is positive in case of ...
- a. Tropane alkaloids
 - b. Quinoline
 - c. Isoquinoline
 - d. Purine alkaloids
9. Sunken trichomes and sunken stomata are present respectively in following drug ... (p) Ephedra (q) Colchicum (r) Lobelia (s) Gloriosa
- a. p, r
 - b. r, p
 - c. q, r
 - d. p, q
10. The IUPAC name for Prazepam is ...
- a. 7-chloro-1-methyl-1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one

- b. 8-chloro-1- (Cyclobutylmethyl) -1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one
- c. 7-chloro-1- (Cyclopropylmethyl) -1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one
- d. 8-chloro-1- (Cyclopropylmethyl) -1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one

11. Buspirone contain following ring system ...

- a. Spiran
- b. Piperazine
- c. Pyrimidine
- d. All of the above

12. 4-[3-[2- (trisfluoromethyl) phenazin-10-yl]propyl]-1-piperazineethanol tends for ...

- a. Perphenazine
- b. Fluphenazine
- c. Acetophenazine
- d. Trifluoperazine

13. 6-[2, 3- (dichloro phenyl)]-3, 5-diamino triazine tends for following category of drug ...

- a. Anti-depressant
- b. Anti-psychotic
- c. Anxiolytic drug
- d. Anti-epileptic drug

14. The following is CNS stimulant drug...

- a. Mazindol
- b. Phendimetrazine
- c. Pemoline
- d. All of the above

15. The tricyclic anti-depressant drug trazodone contain following ring system ...

- a. Piperazine
- b. Triazole

Visit examrace.com for free study material, doorsteptutor.com for questions with detailed explanations, and "Examrace" YouTube channel for free videos lectures

c. Pyridine

d. All of the above