

## Examrace

### Competitive Exams: Pharmacy MCQs (Practice\_Test 2 of 29)

Doorsteptutor material for KVPY is prepared by world's top subject experts: [fully solved questions with step-by-step explanation](#)- practice your way to success.

1. Carr price reaction is positive in case of ...
  - a. Vit. A
  - b. Vit. B
  - c. Vit. D
  - d. Vit. B7
2. The following variety of cardamom does not show rugae among all the varieties ...
  - a. Allepy cardamom
  - b. Mysore cardamom
  - c. Korarima cardamom
  - d. Malabar cardamom
3. The following microscopical characters are true for fennel except...
  - a. Anomocytic stomata
  - b. Lignified and reticulate parenchyma
  - c. Rossete crystals of ca-oxalate
  - d. Trichomes and starch grains are absent
4. The outgrowth of nutmeg contains amyloextrin which gives following colour with iodine ...
  - a. red colour
  - b. Blue colour
  - c. Pink colour
  - d. white colour
5. The following microscopical characters are false in case of Clove except one... And it is...
  - a. Clove contains diacytic stomata
  - b. Clove contains starch
  - c. Scizogenous oil glands

- d. It contains anomocytic stomata
6. Ca-oxalate crystals and starch grains are absent in ... (p) Fennel (q) Stropanthus (r) Nuxvomica (s) Physostigma
- a. p, q
  - b. p, r
  - c. q, s
  - d. r, s
7. The following variety is the commercial source of reserpine ...
- a. R. Tetraphylla
  - b. R. Vomitoria
  - c. R. Serpentina
  - d. R. Densiflora
8. Vitali-morin reaction is positive in case of ...
- a. Tropane alkaloids
  - b. Quinoline
  - c. Isoquinoline
  - d. Purine alkaloids
9. Sunken trichomes and sunken stomata are present respectively in following drug ... (p) Ephedra (q) Colchicum (r) Lobelia (s) Gloriosa
- a. p, r
  - b. r, p
  - c. q, r
  - d. p, q
10. The IUPAC name for Prazepam is ...
- a. 7-chloro-1-methyl-1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one
  - b. 8-chloro-1- (Cyclobutylmethyl) -1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one
  - c. 7-chloro-1- (Cyclopropylmethyl) -1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one
  - d. 8-chloro-1- (Cyclopropylmethyl) -1, 3-dihydro-5-phenyl-2H-benzodiazepine-2-one
11. Buspirone contain following ring system ...

- a. Spiran
  - b. Piperazine
  - c. Pyrimidine
  - d. All of the above
12. 4-[3-[2- (trisfluoromethyl) phenazin-10-yl]propyl]-1-piperazineethanol tends for ...
- a. Perphenazine
  - b. Fluphenazine
  - c. Acetophenazine
  - d. Trifluoperazine
13. 6-[2, 3- (dichloro phenyl) ]-3, 5-diamino triazine tends for following category of drug ...
- a. Anti-depressant
  - b. Anti-psychotic
  - c. Anxiolytic drug
  - d. Anti-epileptic drug
14. The following is CNS stimulant drug...
- a. Mazindol
  - b. Phendimetrazine
  - c. Pemoline
  - d. All of the above
15. The tricyclic anti-depressant drug trazodone contain following ring system ...
- a. Piperazine
  - b. Triazole
  - c. Pyridine
  - d. All of the above