



Competitive Exams: Revision Terminology Part 39

Get top class preparation for UGC right from your home: Get **detailed illustrated notes covering entire syllabus**: point-by-point for high retention.

- Bolus – Mouth
- Chyme – Stomach
- Chyle – Intestine
- D – Amino acid – Passive Absorber.
- L – Amino acid – Active Absorber.
- Liver covered by Glisson's capsule
- Lytic – Tu (T – even)
- Lysogenic – γ (eubacteria)
- Y.D Tyagi – Impatiens Babaria
- Fluorosis – Excess F – Mottled enamel.
- Excess – vitamin A – $\text{Ca}^{2+} \uparrow$ + bone reabsorption
- Excess – vitamin D – $\text{Ca}^{2+} \downarrow$ + bone Ca deposited & harder.
- Salivary control – ANS – Chorda tympani secretion broncho
- Vitamin E – inhibit peroxide formation – prevent Damage to membrane lipids-
- Balanced diet – Carbo : Protein : fat = 4 : 1 : 1
- BMR – basal metabolism rate – 1600 Kcal / Day.
- AMR – Active Metabolism rate – 6000 Kcal / day.
- Sneezing – Vital Capacity.
- Forceful breathing – Cerebrum.
- Carotid artery carotid labyrinth (receptor) Sensitive to CO₂.
- Adam's Apple – Rabbit XX
- Ant – false – thick – non elastic.
- Post – True – thin – elastic.
- Exp. Resp. – Physical

- Int. Resp. – Physico – chemical
- Larynx thyroid – gridle Shaped – Cartilafe of Santorini.
- Cricoid – complete ring.
- Arytenoid – 2 rounds rod shaped.
- Birds – Lungs – non elastic – air sacs.
- Co_2 – 7% in plasma, 70% carbonic anhydrase, 23% carb amino hemoglobin.
- Ultimate Source = Mutation -> Fountation of evolution.
- Bohr – Co_2 \uparrow dissociation of Hbo_4 \uparrow
- Root – pH \downarrow dissociation of Hbo_4 \uparrow
- Pneumotaxic – Pons varolii.
- Se tolerance – Astragalus + Haplopappus.
- Epigenesis – Wolf.
- Pangenesis – Darwin.
- A.D. Bradshaw – Agrestic tennis.
- Artifical selection.
- Rock Rigeon – Ponte, Fantail, Jacobin.
- Colewort – Cabbage (Captitis), Cauliflower (Botyris), Kohlrabi (Caulorapa).
- Nonrandom matrix – Variation \uparrow
- Genetic drift – elimination of gene due to epidemic / migration.
- Seleucia Bilunacia – Mn coated food – true breeding melanic variety of moth.
- Temporal isolation – difference breeding season.
- Ethological – isolation – Behavioral isolation.
- Max solar energy trap – algae.
- Sporopollenin – Most resistant.
- Osteo cthys – Ext fertihzation – ammronotelic.
- Butea monospermous – fire of forest.
- Clinostat – demonstrate lfeop motor
- Pilobolus (hat thrower) Fungus open lid of sporangia in unilatnal light.

- D. mellitus – acidosis (pH 7.4 -> 6.8)
- Ketosis – most dangerous.
- Pheromones – intraspecific
- Alleomones – interspecific
- Saniiochemicab – Volatile exocrine hormones.
- Epinasty – Flower open – drooping of break.
- Hyponasty – flower closed + fern circlation ptysis.
- Carcinogen – Astrigmatocytin.
- Red pulp – Spleen.
- Red marrow – bone.
- Angiosperon development – Cretaceous period.
- Opisthocoelus – Salamonder.
- Glucocorticoids – Antitfs flammatory, antiallergic, transplantation.
- Parathyroid removd – most quick death.
- Archegonia – moss – Sugar.
- Archegonia – Fern – malic wood.
- Terpentine – Pinus.

Developed by: **Mindsprite Solutions**