

| |
|--|
| (1) If $f(x) = x \sin \frac{1}{x}$ for $x \neq 0$ and $f(0) = 0$, prove that f is continuous but not differentiable at 0. |
| (2) Find derivatives of the following functions using the definition of a derivative (i) $\frac{x-1}{x+1}$ (ii) a^{3x} (iii) $\sin x^2$ (iv) $x \sin x$ [Ans: (i) $\frac{2}{(x+1)^2}$, (ii) $3a^{3x} \log a$, (iii) $2x \cos x^2$ (iv) $x \cos x + \sin x$] |
| (3) If $f(x) = x^2 \sin \frac{1}{x}$, $x \neq 0$ and $f(0) = 0$, prove that $f'(0) = 0$. |
| (4) If $f(x) = e^x - 1$, $x \geq 0$ and $f(x) = \sin x $, $x < 0$, is f continuous at 0? Is it differentiable at 0? [Ans: continuous, not differentiable] |

Find derivatives with respect to x of the following functions:

| | |
|---|--|
| (5) $\frac{x^2 \sin x}{\log x}$ | [Ans: $\frac{x^2 \log x \cos x + 2x \log x \sin x - x \sin x}{(\log x)^2}$] |
| (6) $3^x e^{\log x}$ | [Ans: $3^x (1 + x \log 3)$] |
| (7) $x^2 3^x \sin x$ | [Ans: $3^x (\log 3 \cdot x^2 \sin x + 2x \sin x + x^2 \cos x)$] |
| (8) $\log_a (x^n)$ [Ans: $\frac{1}{x \log a}$] | (9) $\frac{e^x}{\log x}$ [Ans: $\frac{e^x (x \log x - 1)}{x (\log x)^2}$] |
| (10) $\log [\log (\log x)]$ | [Ans: $\frac{1}{x \log x \log (\log x)}$] |

Find derivatives with respect to x of the following functions:

| | |
|--|--|
| (11) $\log(x + \sqrt{x^2 + a^2})$ | $\left[\text{Ans: } \frac{1}{\sqrt{x^2 + a^2}} \right]$ |
| (12) $\sqrt{\frac{1-x}{1+x}}$ | $\left[\text{Ans: } \frac{-1}{\frac{1}{(1-x)^2} \frac{3}{(1+x)^2}} \right]$ |
| (13) $\sin[\log \cos(e^x + x^2)]$ | $\left[\text{Ans: } -(e^x + 2x) \tan(e^x + x^2) \cos[\log \cos(e^x + x^2)] \right]$ |
| (14) $\sin[\cos\{\sin(e^x + 1)\}]$ | $\left[\text{Ans: } -e^x \cos[\cos(\sin(e^x + 1))] \cdot \sin[\sin(e^x + 1)] \cdot \cos(e^x + 1) \right]$ |
| (15) $e^{\log \sin x }$ | $\left[\text{Ans: } \cos x \text{ if } \sin x > 0, -\cos x \text{ if } \sin x < 0 \right]$ |
| (16) $e^{\tan^2 x} \cdot \sin^2 x$ | $\left[\text{Ans: } e^{\tan^2 x} (\sin 2x + 2 \tan^3 x) \right]$ |
| (17) $\log \sin(\tan x^2) $ | $\left[\text{Ans: } 2x \cot(\tan x^2) \sec^2 x^2 \right]$ |
| (18) $\sqrt{1 - \sin 2x}, \quad 0 < x < \frac{\pi}{2}$ | $\left[\text{Ans: } -\sin x - \cos x \text{ for } 0 < x < \frac{\pi}{4}, \quad \cos x + \sin x \text{ for } \frac{\pi}{4} < x < \frac{\pi}{2}, \right.$ $\left. \text{not differentiable at } x = \frac{\pi}{4} \right]$ |
| (19) $\sin^{-1} \frac{x}{a}, \quad 0 < x < a $ | $\left[\text{Ans: } \frac{1}{\sqrt{a^2 - x^2}} \text{ for } a > 0, \quad \frac{-1}{\sqrt{a^2 - x^2}} \text{ for } a < 0 \right]$ |

Find derivatives with respect to x of the following functions:

| | |
|---|---|
| <p>(20) $\sin^{-1} 2x\sqrt{1-x^2}$, $x < 1$</p> <p style="text-align: center;"> $\left[\begin{array}{l} \text{Ans: } \frac{-2}{\sqrt{1-x^2}}, \text{ for } x \in \left(-1, -\frac{1}{\sqrt{2}}\right) \cup \left(\frac{1}{\sqrt{2}}, 1\right) \\ \frac{2}{\sqrt{1-x^2}}, \text{ for } x < \frac{1}{\sqrt{2}}, \text{ not differentiable at } x = \frac{1}{\sqrt{2}} \end{array} \right]$ </p> | |
| <p>(21) $\cos^{-1} (4x^3 - 3x)$</p> <p style="text-align: center;"> $\left[\begin{array}{l} \text{Ans: } \frac{3}{\sqrt{1-x^2}} \text{ for } x < \frac{1}{2}, \frac{-3}{\sqrt{1-x^2}} \text{ for } x \in \left(-1, -\frac{1}{2}\right) \cup \left(\frac{1}{2}, 1\right) \\ \text{not differentiable for } x = \frac{1}{2} \end{array} \right]$ </p> | |
| <p>(22) $\sec^{-1} \frac{1}{2x^2 - 1}$, $0 < x < 1$ and $x \neq \frac{1}{\sqrt{2}}$</p> <p style="text-align: center;"> $\left[\begin{array}{l} \text{Ans: } -\frac{2}{\sqrt{1-x^2}} \text{ for } 0 < x < 1 \text{ and } x \neq \frac{1}{\sqrt{2}} \\ \frac{2}{\sqrt{1-x^2}} \text{ for } -1 < x < 0 \text{ and } x \neq -\frac{1}{\sqrt{2}} \end{array} \right]$ </p> | |
| <p>(23) $\tan^{-1} \frac{\cos x}{1 - \sin x}$</p> <p style="text-align: center;"> $\left[\text{Ans: } \frac{1}{2} \right]$ </p> | <p>(24) $\tan^{-1} \left[\frac{\sqrt{1+x^2} - 1}{x} \right]$</p> <p style="text-align: center;"> $\left[\text{Ans: } \frac{1}{2(1+x^2)} \right]$ </p> |
| <p>(25) $\tan^{-1} \left[\frac{1 - \cos x}{1 + \cos x} \right]^{\frac{1}{2}}$ for $\pi < x < 2\pi$</p> <p style="text-align: right;"> $\left[\text{Ans: } -\frac{1}{2} \right]$ </p> | |
| <p>(26) $\cot^{-1} \left[\frac{\sqrt{1+x^2} - 1}{x} \right]$</p> <p style="text-align: right;"> $\left[\text{Ans: } -\frac{1}{2(1+x^2)} \right]$ </p> | |

Find derivatives with respect to x of the following functions:

| | |
|---|--|
| (27) $\sin^{-1} \frac{2x}{1+x^2}$ $\left[\text{Ans: } \frac{2}{1+x^2} \text{ for } x < 1, -\frac{2}{1+x^2} \text{ for } x > 1, \text{ not differentiable for } x = 1 \right]$ | |
| (28) $\sec^{-1} \frac{1+x^2}{1-x^2}$ $\left[\text{Ans: } \frac{2}{1+x^2} \text{ for } x \in \mathbb{R}^+ - \{1\}, -\frac{2}{1+x^2} \text{ for } x \in \mathbb{R}^+ - \{-1\}, \right.$ $\left. \text{not differentiable for } x = 0. \right]$ | |
| (29) $\cos^{-1} x + \cos^{-1} \sqrt{1-x^2}$ $\left[\text{Ans: } 0 \text{ for } x > 0, \frac{2}{\sqrt{1-x^2}} \text{ for } x < 0, \text{ not differentiable for } x = 0. \right]$ | |
| (30) $\sin^{-1} \left[\frac{3 \sin x + 4 \cos x}{5} \right]$ [Ans: ± 1] | (31) $\tan^{-1} \left[\frac{a \sin x + b \cos x}{a \cos x - b \sin x} \right]$ [Ans: 1] |
| (32) $\tan^{-1} \frac{2x}{1+x^2}$ $\left[\text{Ans: } \frac{2(1-8x^2)}{(1+16x^2)(1+4x^2)} \right]$ | |
| (33) $\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a}, \quad a > 0$ $\left[\text{Ans: } \sqrt{a^2 - x^2} \right]$ | |

Solve the following problems as directed:

| |
|---|
| (34) Find $\frac{du}{dv}$, if $u = \sin^{-1} \frac{2t}{1+t^2}$ and $v = \tan^{-1} \frac{2t}{1-t^2}$ for (i) $ t < 1$ and (ii) $t > 1$. [Ans: (i) 1, (ii) -1] |
|---|

Solve the following problems as directed:

| | |
|---|---|
| <p>(35) If $\frac{d}{dx}(x^n) = nx^{n-1}$ for $n \in \mathbb{N}$, prove that $\frac{d}{dx}(x^{\frac{1}{n}}) = \frac{1}{n}x^{\frac{1}{n}-1}$ ($n \in \mathbb{N}$, $x \in \mathbb{R}^+$).</p> | |
| <p>(36) Find $\frac{dy}{dx}$ if $\cos(x^2 + y^2) = \log(xy)$.</p> | <p>[Ans : $-\left(\frac{2x^2 \ln(x^2 + y^2) + 1}{2y^2 \sin(x^2 + y^2) + 1}\right) \cdot \frac{y}{x}$]</p> |
| <p>(37) If $x = a(\theta - \sin \theta)$, $y = a(1 - \cos \theta)$, find $\frac{dy}{dx}$ and $\frac{d^2y}{dx^2}$.</p> | <p>[Ans : $\cot \frac{\theta}{2}$, $-\frac{1}{4a} \operatorname{cosec}^4 \frac{\theta}{2}$]</p> |
| <p>(38) If $x = \cos \theta + \cos 2\theta$ and $y = \sin \theta + \sin 2\theta$, find $\frac{dy}{dx}$ and $\frac{d^2y}{dx^2}$.</p> | <p>[Ans : $\frac{dy}{dx} = -\frac{2 \cos 2\theta + \cos \theta}{2 \sin 2\theta + \sin \theta}$, $\frac{d^2y}{dx^2} = -\frac{3(3 + 2 \cos \theta)}{(2 \sin 2\theta + \sin \theta)^3}$]</p> |
| <p>(39) If $ax^2 + 2hxy + by^2 = 0$, prove that $\frac{d^2y}{dx^2} = 0$.</p> | |
| <p>(40) If $x = 3 \cos \theta - 2 \cos^3 \theta$, $y = 3 \sin \theta - 2 \sin^3 \theta$, $\theta \neq (2k - 1) \frac{\pi}{4}$, find $\frac{d^2y}{dx^2}$.</p> | <p>[Ans : $-\frac{1}{3} \operatorname{cosec}^3 \theta \sec 2\theta$]</p> |
| <p>(41) Find $\frac{dy}{dx}$, if $x\sqrt{1-y^2} + y\sqrt{1-x^2} = a$.</p> | <p>[Ans : $-\sqrt{\frac{1-y^2}{1-x^2}}$]</p> |
| <p>(42) Find $\frac{d^2y}{dx^2}$, if $x = 2 \cos t - \cos 2t$, $y = 2 \sin t - \sin 2t$, $t \neq 2k\pi$ or $(2k - 1) \frac{\pi}{3}$, $k \in \mathbb{Z}$.</p> | <p>[Ans : $\frac{3}{8} \sec^3 \frac{3t}{2} \operatorname{cosec} \frac{t}{2}$]</p> |

Solve the following problems as directed:

| | |
|---|---|
| <p>(43) Find $\frac{dy}{dx}$, if $x = \frac{3at}{1+t^2}$, $y = \frac{3at^2}{1+t^2}$.</p> | <p>[Ans: $\frac{2t}{1-t^2}$]</p> |
| <p>(44) If $x = a \left(\cos \theta + \log \tan \frac{\theta}{2} \right)$, $y = a \sin \theta$, find $\frac{d^2y}{dx^2}$.</p> | <p>[Ans: $\frac{1}{a} \sec^4 \theta \sin \theta$]</p> |
| <p>(45) Find $\frac{d^2y}{dx^2}$, if $x = a(1 - \cos \theta)$, $y = a(\theta - \sin \theta)$ $\theta \neq k\pi$</p> | <p>[Ans: $\frac{1}{4a} \sec^3 \frac{\theta}{2} \operatorname{cosec} \frac{\theta}{2}$]</p> |
| <p>(46) Find $\frac{dy}{dx}$, if $y = \sin x^x$.</p> | <p>[Ans: $x^x (1 + \log x) \cos x^x$]</p> |
| <p>(47) For $y = (\sin x)^x + x^{\sin x}$ find $\frac{dy}{dx}$.</p> | <p>[Ans: $(\sin x)^x (\log \sin x + x \cot x) + x^{\sin x} \left(\frac{\sin x}{x} + \cos x \log x \right)$]</p> |
| <p>(48) If $y = (\sqrt{x})^x + x^{\sqrt{x}}$, find $\frac{dy}{dx}$.</p> | <p>[Ans: $\frac{1}{2}(\sqrt{x})^x (1 + \log x) + \frac{1}{2}x^{\sqrt{x}-\frac{1}{2}} (\log x + 2)$]</p> |
| <p>(49) Find $\frac{dy}{dx}$ for $y = x^{\frac{1}{x}} + (1+x)^{\frac{1}{x}}$.</p> | <p>[Ans: $x^{\frac{1}{x}-2} (1 - \log x) + (1+x)^{\frac{1}{x}-1} \cdot \frac{x - (1+x)\log(1+x)}{x^2}$]</p> |
| <p>(50) Find $\frac{dy}{dx}$, if $x^m y^n = (x+y)^{m+n}$.</p> | <p>[Ans: $\frac{y}{x}$]</p> |

Solve the following problems as directed:

| | |
|--|---|
| (51) $y = x^{x^x}$. Find $\frac{dy}{dx}$. | [Ans : $x^{x^x} \cdot x^{x-1} (1 + x \log x + x (\log x)^2)$] |
| (52) If $\sin y = x \sin(a + y)$, prove that $\frac{dy}{dx} = \frac{\sin^2(a + y)}{\sin a}$. | |
| (53) If $y = x^y$, prove that $\frac{dy}{dx} = \frac{y^2}{x(1 - y \log x)}$, $x \in \mathbb{R}^+$. | |
| (54) Prove that $f(x) = x - a $ is not differentiable only at $x = a$. Deduce that $ x - 2 + x - 3 $ is not differentiable only at $x = 2$ and $x = 3$. | |
| (55) If $x = at^2$, $y = 2at$ and $t \neq 0$, then prove that $yy_2 + y_1^2 = 0$, where $y_1 = \frac{dy}{dx}$ and $y_2 = \frac{d^2y}{dx^2}$. | |
| (56) For $x = \tan t$, $y = t \sin t$, prove that $(1 + x^2)y_2 + 2xy_1 = 2pyy_1$. | |
| (57) If $y = e^{m \sin^{-1} x}$, prove that $(1 - x^2)y_2 - xy_1 = m^2 y$, where $m \neq 0$. | |
| (58) If $y = e^x (\cos x + \sin x)$, prove that $y_2 - 2y_1 + 2y = 0$. | |
| (59) If $y = (x + \sqrt{x^2 + 1})^m$, prove that $(1 + x^2)y_2 + xy_1 = m^2 y$. | |
| (60) If $y = (\cos^{-1} x)^2$, prove that $(1 - x^2)y_2 - xy_1 = 2$. | |
| (61) If $y = \sin(m \sin^{-1} x)$, prove that $(1 - x^2)y_2 - xy_1 + m^2 y = 0$. | |

Solve the following problems as directed:

| |
|---|
| (62) If $y = \sin pt$, $x = \sin t$, prove that $(1 - x^2)y_2 - xy_1 + p^2y = 0$. |
| (63) If $y = e^{m \tan^{-1} x}$, prove that $(1 + x^2)y_2 + (2x - m)y_1 = 0$. |
| (64) If $2x = \frac{1}{y^m} + y - \frac{1}{m}$, prove that $(x^2 - 1)y_2 + xy_1 = m^2y$. |
| (65) If $y = e^{\sqrt{x}} + e^{-\sqrt{x}}$, prove that $4xy_2 + 2y_1 - y = 0$. |
| (66) If $\cos^{-1} \frac{y}{b} = \log \left(\frac{x}{n} \right)^n$, prove that $x^2y_2 + xy_1 + n^2y = 0$. |

Find derivatives with respect to x of the following functions:

| | |
|---|---|
| (67) $x \sin^{-1} \frac{2x}{1+x^2}$, $ x < 1$ | $\left[\text{Ans: } \frac{2x}{1+x^2} + 2 \tan^{-1} x \right]$ |
| (68) $\frac{x \cos^{-1} x}{\sqrt{1-x^2}}$ | $\left[\text{Ans: } \frac{\cos^{-1} x}{(1-x^2)^{\frac{3}{2}}} - \frac{x}{1-x^2} \right]$ |
| (69) $\text{an} \left(\frac{\cos x - \sin x}{\cos x + \sin x} \right)$ | $[\text{Ans: } -1]$ |
| (70) $\frac{(x^3 - 2)\sqrt{x^2 + 1}}{(x^2 + 2x + 3)(2x - 5)^{\frac{3}{2}}}$ | $\left[\text{Ans: } \frac{(x^3 - 2)\sqrt{x^2 + 1}}{(x^2 + 2x + 3)(2x - 5)^{\frac{3}{2}}} \left[\frac{3x^2}{x^3 - 2} + \frac{x}{x^2 + 1} - \frac{2(x + 1)}{x^2 + 2x + 3} - \frac{3}{2x - 5} \right] \right]$ |

Find derivatives with respect to x of the following functions:

| |
|---|
| <p>(71) $(\sin x)^{\log x} + (\log x)^x$</p> <p style="text-align: center;">[Ans : $(\sin x)^{\log x} \left(\log x \cot x + \frac{\log(\sin x)}{x} \right) + (\log x)^x \left(\frac{1}{\log x} + \frac{\log \log x}{\log x} \right)$]</p> |
| <p>(72) $\frac{2}{\sqrt{a^2 - b^2}} \tan^{-1} \left[\sqrt{\frac{a-b}{a+b}} \tan \frac{x}{2} \right]$</p> <p style="text-align: right;">[Ans : $\frac{1}{a + b \cos x}$]</p> |

Solve the following problems as directed:

| |
|--|
| <p>(73) Let $f(x)$ be a function satisfying the condition $f(-x) = f(x)$ for all x. If $f'(0)$ exists, find its value.</p> <p style="text-align: right;">[Ans : 0]</p> |
| <p>(74) If $x = \sec \theta - \cos \theta$ and $y = \sec^n \theta - \cos^n \theta$, then show that $(x^2 + 4) \left(\frac{dy}{dx} \right)^2 = (y^2 + 4)n^2$.</p> |
| <p>(75) If $x = \cos \theta$, $y = \sin^3 \theta$, prove that $\left(\frac{dy}{dx} \right)^2 + y \left(\frac{d^2y}{dx^2} \right) = 3 \sin^2 \theta (5 \cos^2 \theta - 1)$.</p> |
| <p>(76) If $y^2 = p(x)$, then prove that $2 \frac{d}{dx} \left(y^3 \frac{d^2y}{dx^2} \right) = p(x)p'''(x)$.</p> |
| <p>(77) If u and v are derivable functions of x, then prove that $\frac{d}{dx}(u^v) = v u^{v-1} \frac{du}{dx} + u^v \frac{dv}{dx} \log u$.</p> |
| <p>(78) If $f(2) = 4$, $g(2) = 9$, $f'(2) = g'(2)$, then find $\lim_{x \rightarrow 2} \frac{\sqrt{f(x)} - 2}{\sqrt{g(x)} - 2}$. [Ans : $\frac{3}{2}$]</p> |

Solve the following problems as directed:

| |
|---|
| (79) Prove that $\frac{d^2x}{dy^2} = -\frac{d^2y}{dx^2} \div \left(\frac{dy}{dx}\right)^3$. |
| (80) If $\tan \frac{y}{2} = \sqrt{\frac{1-e}{1+e}} \tan \frac{x}{2}$, prove that $\frac{dy}{dx} = \frac{\sin y}{\sin x} = \frac{\sqrt{1-e^2}}{1+e \cos x}$. |
| (81) If $ky = \sin(x+y)$, prove that $y_2 = -y(1+y_1)^3$. |
| (82) If $\log y = \log \sin x - x^2$, prove that $y_2 + 4xy_1 + (4x^2 + 3)y = 0$. |
| (83) For $y = \log_7(\log_7 x^4)$, obtain $\frac{dy}{dx}$ [Ans: $\frac{1}{x(\log 7)(\log x)}$] |
| (84) If $\frac{x}{x-y} = \log \frac{a}{x-y}$, prove that $\frac{dy}{dx} = 2 - \frac{x}{y}$. |
| (85) Prove that $\sqrt{1-x^2} + \sqrt{1-y^2} = a(x-y)$, ($a \neq 0$) $\Rightarrow \frac{dy}{dx} = \sqrt{\frac{1-y^2}{1-x^2}}$. |
| (86) For $y = \tan^{-1} \frac{3xa^2 - x^3}{a(a^2 - 3x^2)}$, obtain $\frac{dy}{dx}$ [Ans: $\frac{3a}{a^2 + x^2}$] |
| (87) Prove that $y = x \log [(ax)^{-1} + a^{-1}] \Rightarrow x(x+1)y_2 + xy_1 = y - 1$. |
| (88) If $y = x \log \left(\frac{x}{a+bx}\right)$, prove that $x^3 y_2 = (y - xy_1)^2$. |
| (89) If $y = \sqrt{x+1} + \sqrt{x-1}$, prove that $(x^2 - 1)y_2 + xy_1 = \frac{y}{4}$. |
| (90) Differentiate $\sin^{-1} x$ w.r.t. x , $ x < 1$ using the definition of derivative. |

Solve the following problems as directed:

(91) If $y = A(x + \sqrt{x^2 - 1})^n + B(x - \sqrt{x^2 - 1})^n$,
prove that $(x^2 - 1)y_2 + xy_1 - n^2y = 0$.

(92) If $g(x_1 + x_2) = g(x_1)g(x_2)$ and $g(x) \neq 0 \forall x \in D_g$ and $g'(0) = 2$,
then prove that $g'(x) = 2g(x)$.

(93) If $f^{-1} = g$ and $f'(x) = \frac{1}{1+x^3}$, then prove that $g'(y) = 1 + [g(y)]^3$.

(94) If $f(a) = 2$, $f'(a) = 1$, $g(a) = -1$, $g'(a) = 2$ then prove that
$$\lim_{x \rightarrow a} \frac{g(x)f(a) - f(x)g(a)}{x - a} = 5.$$

(95) For $p^2 = a^2 \cos^2 \theta + b^2 \sin^2 \theta$ prove that $p^4 + p^3 \frac{d^2p}{d\theta^2} = a^2 b^2$.

(96) If $(a - b \cos y)(a + b \cos x) = a^2 - b^2$, prove that $\frac{dy}{dx} = \frac{(a^2 - b^2)^{\frac{1}{2}}}{a + b \cos x}$.

(97) If $S_n = a + ax + ax^2 + \dots$ upto n terms,
show that $(1 - x) \frac{d}{dx} S_n = nS_{n-1} - (n - 1)S_n$.

(98) P.t. $y = x \sin y \Rightarrow \frac{dy}{dx} = \frac{\sin y}{1 - x \cos y} = \frac{y}{x(1 - x \cos y)} = \frac{\sin^2 y}{\sin y - y \cos y}$.

(99) If $y = f(x)$ is one-one and onto, p.t. $f''(x) = -(f^{-1})'' [f'(x)]^3$.

(100) Find $\frac{dy}{dx}$ for $x = e^{\tan^{-1} \left[\frac{y - x^2}{x^2} \right]}$. [Ans: $x \left(\frac{y^2}{x^4} + 2 \right)]$